



## DECLARATION OF PERFORMANCE

According to EU regulation 305/2011

No 001/ 22

1. Unique identification code of the product-type:

**Pellet boiler COMBO**

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

**COMBO 25**

**Each product possesses the serial number on the label as well as in the guarantee certificate**

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Pellet boiler**

**Every product manufacturer supplied with instructions for use**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

**ABC PROIZVOD D.O.O.**

**Miloša Obrenovića 2**

**31000 Užice**

**tel.:+381/ 031/514-501;514-502**

**tel./fax: 031/563-479**

**Web: [www.abcproizvod.rs](http://www.abcproizvod.rs)**

**mail: [office@abcproizvod.rs](mailto:office@abcproizvod.rs)**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Fero-Term d.o.o.**

**Gospodarska 17**

**HR - 10255 G.Stupnik**

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

**System 3**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

**EN 303-5:2012**

performed by: „TSU,, Piestany, Slovakia, notified body number 1299, performed determination of the product type on the basis of type testing

**EN 303-5:2012 under system 3 and issued test report No. 155000024/314**

8. Declared performance

<i>Essential characteristic</i>	<i>Performance</i>	<i>Harmonized technical specification</i>
Minimum distances from combustible materials:	- Sides ..... 300mm - Rear.....500mm - Front.....1000mm	<b>EN 303-5:2012</b>
Risc of burning fuel falling out	Pass EN 303-5 cl. 4.3.4	
Surface temperature	Pass EN 303-5 cl. 4.3.6	
Electrical safety	EMC – 155000024 LVD - 155000024/E	
Max. water operating pressure	3 bar	
Cleaning of heating surfaces	Pass EN 303-5 cl. 4.2.4.2	
Nominal heat output	26,44kw	
Energy efficiency	90,61%	
CO at 13% O2	342 mg/m <sup>3</sup>	
Nox at 13% O2	48mg/m <sup>3</sup>	
OGC at 13% O2	6mg/m <sup>3</sup>	
Dust	21mg/m <sup>3</sup>	
Average flue gas flow	15,476 g/s	
Flue gas temperature	169,6°C	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Director  
ABC PROIZVOD D.O.O  
Ana Melentijevic

Užice, 25.05.2022.  
(place and date of issue)

