



DECLARATION OF PERFORMANCE
in accordance with Regulation (EU) 305/2011
№ 004-CPR-2017-11-24

Unique identification code of the product-type: Code 6 – Metal rigid connecting flue pipes
DURATHERM - T400 - N1 - D - Vm - L99180 - G375M

Intended use/es: Conveying flue gases from the appliance to outside atmosphere

Manufacturer: **Victoria-05 Ltd.**
61A Anton Strashimirov Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria

System/s of AVCP: System 2+

Harmonised standard: **EN 1856-2:2009**

Notified body/ies: **DEDAL-Attestation and Certification Ltd.**
Bulgaria, 8230 Nesebar, Mladost #50, Notified Body: NB1922
Certificate **1922 - CPR - 0257**

Declared performance/s:

Essential characteristics	Performance
Compressive strength	Pass
Resistance to fire	G (375) M
Gas tightness / leakage	0.22 l.s ⁻¹ .m ⁻²
Thermal resistance	NPD
Thermal-shock resistance	Pass
Flexural tensile strength	Pass
Durability of gas-tightness	40 Pa
Durability against chemicals	NPD
Durability against corrosion	NPD
Durability of flexural strength	NPD
Durability of compressive strength	NPD
Freeze thaw	Yes

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

24.11.2017
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)

